# INDEX TO TRANSACTIONS, VOLUME 192

**(Plus Reference to Articles and Technical Notes Published in *Journal of Petroleum Technology* in 1951)**


## A

AKINS, D. W., JR.: *Primary High Pressure Water Flooding in the Pettit Lime, Haynesville Field*, 239

## B

BELL, JOHN S.:, et al.: *Pressure Behavior in the Woodbine Sand*, 19

BERLIN, E. W.: *Manpower — The Most Important Factor in Defense Mobilization*, (Art.), May JPT.

BLAIR, P. M., et al.: *Laboratory Measurements of Relative Permeability*, 47

BOBROWSKI, F. P., et al.: *Special Considerations in Predicting Reservoir Performance of Highly Volatile Type Oil Reservoirs*, 37

BRADLEY, HOWARD B., et al.: *The Phase Behavior of a Natural Hydrocarbon System*, 233

BRIDGES, P. M., et al.: *An Experimental and Theoretical Investigation of Gravity Drainage Performance*, 285

BROWN, HARRY W.: *Capillary Pressure Investigations*, 67

BROWNSCOMBE, E. R., et al.: *Further Developments in the Laboratory Determination of Relative Permeability*, 145

BRUCE, G. H., et al.: *Carrying Capacity of Drilling Muds*, 111

BUSH, ROBERT E., et al.: *The Quantitative Application of Radioactivity Logs*, 191

## C

CAMERON, C. V.: *The Benton Water Flood, Franklin County, Illinois*, (Art.), Sept. JPT.

CAUDLE, B. H., et al.: *Further Developments in the Laboratory Determination of Relative Permeability*, 145

Cement: A modified low-strength cement, 165.

CHAMBERS, ADELE, et al.: *Use of Centrifuge for Determining Connate Water, Residual Oil, and Capillary Pressure Curves of Small Core Samples*, 127

Clays: Mineralogical studies of California oilbearing formations, 151.

COOK, ALTON B., et al.: *Special Considerations in Predicting Reservoir Performance of Highly Volatile Type Oil Reservoirs*, 37

Cores: Use of centrifuge for determining connate water, residual oil and capillary pressure curves of small core samples, 127.

CREGO, WILLIAM O., et al.: *Report on the Mamou Field Pressure Maintenance Project*, 263

CROG, R. S., et al.: *Mineralogical Studies of California Oilbearing Formations, I — Identification of Clays*, 151

CROXTON, FRANK C.: *Battelle Memorial Institute and the Petroleum Industry*, (Art.), Jan. JPT.

CULBERSON, O. L., et al.: *Phase Equilibria in Hydrocarbon-Water Systems. III — The Solubility of Methane in Water at Pressures to 10,000 PSIA*, 223

CULBERSON, O. L., et al.: *Phase Equilibria in Hydrocarbon-Water Systems. IV — Vapor Liquid Equilibrium Constants in the Methane-Water and Ethane-Water Systems*, 297

## D

DAVIS, LOUIS F., et al.: *Recent Advances in Gas Lift Equipment and Techniques*, (Art.), Feb. JPT.

DAVIS, W. B.: *A Study of the Dornick Hills — Springer Sand Reservoir, Velma Pool, Oklahoma*, 29

DOLL, H. G.: *The Laterolog: A New Resistivity Logging Method with Electrodes Using an Automatic Focusing System*, 305

DOTSON, B. J., et al.: *Porosity-Measurement Comparisons by Five Laboratories*, 341

Drilling: Penetration rates for directional drilling, (Art.), June JPT.
Plastic flow properties of drilling fluids, 159.
Modified low-strength cement, 165.
Drilling problems in the Worland, Wyoming, Field, (Art.), May JPT.
Advancement in design and technique of rotary fishing tools, (Art.), June JPT.
Control of lost circulation, 171.
Gravel pack completion, 183.
Carrying capacity of muds, 111.

Drilling Fluids: Plastic flow properties, 159.
Carrying capacity of muds, 111.

DUNLAP, H. F., et al.: *The Calculation of Water Resistivities from Chemical Analysis*, (Tech. Note), March JPT.

DUMBAULD, G. K., et al.: *A Modified Low-Strength Cement*, 165

DYKSTRA, HERMAN, et al.: *Relative Permeability Studies*, 249

DYKSTRA, HERMAN, et al.: *Relaxation Methods Applied to Oil Field Research*, 227

## E

Electrical logging: The Laterolog, 305.
Quantitative application of radioactivity logs, 191.
Electrokinetic component of the self-potential curve, 1.
Measurement of formation factors and resistivity indices, (Tech. Note), Feb. JPT.
Guard electrode logging system, 347

Equipment: Surface indicating pressure, temperature and flow equipment, 257.
Advancement in design and technique of rotary fishing tools, (Art.), June JPT.
High temperature gauge glass for visual observation, (Tech. Note), Aug. JPT.
ESPACH, RALPH H., et al.: *Variable Characteristics of the Oil in the Tensleep Sandstone Reservoir, Elk Basin Field, Wyoming and Montana*, 75
EVANS, W. R., et al.: *The Shuler Jones Sand Pool; Nine Years of Unitized Pressure-Maintenance Operations*, 121

## F

FATT, IRVING, et al.: *Relative Permeability Studies*, 249
Field studies: Water flooding in the Pettit Lime, Haynesville Field, 239.
Dornick Hills-Springer Sand reservoir, Velma Pool, Okla., 29.
Elk Basin Field, Wyoming and Montana, 75.
Hydrafrac operations in the Spraberry, (Art.), Nov. JPT.
Iran and world oil, (Art.), Oct. JPT.
Mamou Field pressure maintenance, 263.
Progress report on the Scurry Field, (Art.), April JPT.
Offshore production in Bay Marchand and Main Pass Fields, (Art.), July JPT.
Drilling and production in the Worland, Wyoming, Field, (Art.), May JPT.
Southwest Antioch Gibson Sand unit, 199.
Pressure behavior in the Woodbine, 19.
Shuler Jones Sand Pool, 121.
Reservoir analyzer study of Woodbine, 331.
Gas injection in Cedar Lake Field, 357.
Fishing: Advancement in design and technique of rotary fishing tools, (Art.), June JPT.
FRY, JOSEPH, et al.: *Variable Characteristics of the Oil in the Tensleep Sandstone Reservoir, Elk Basin Field, Wyoming and Montana*, 75
FULTON, P. F., et al.: *A New Technique for the Measurement of the Formation Factors and Resistivity Indices of Porous Media*, (Tech. Note), Feb. JPT.

## G

Gas: Today's natural gas industry, (Art.), Aug. JPT.
Development and operation of LPG storage cavities in salt strata, (Art.), March JPT.
Underwater storage of propane in salt water sand, (Art.), Jan. JPT.
Pressure drop in flow of gas through pipe, 317.
Vaporization characteristics of carbon dioxide in natural gas-crude oil system, 141.
Gas-liquid flow, (Tech. Note), Feb. JPT.
Transient flow in gas transmission lines, 217.
Low temperature dehydration of natural gas, 61.
Measuring water vapor content of gases dehydrated by triethylene glycol, 301.
Recent advances in gas lift equipment and techniques, (Art.), Feb. JPT.
Gas injection in Cedar Lake Field, 357.
GEFFEN, T. M., et al.: *Experimental Investigation of Factors Affecting Laboratory Relative Permeability Measurements*, 99
Gravel pack: Completion for exclusion of gas and water, 183.
Gravity drainage: An experimental and theoretical investigation of gravity drainage performance, 285.
GREER, WALTON J., et al.: *The Guard Electrode Logging System*, 347
GRENALL, A., et al.: *Mineralogical Studies of California Oil-bearing Formations. I — Identification of Clays*, 151
GROSSMAN, WALDO L.: *Hydrafrac Operations in the Spraberry*, (Art.), Nov. JPT.

## H

HAFFORD, J. A., et al.: *Laboratory Measurements of Relative Permeability*, 47
HALL, HOWARD N., et al.: *An Experimental and Theoretical Investigation of Gravity Drainage Performance*, 285
HAWTHORNE, R. R., et al.: *The Calculation of Water Resistivities from Chemical Analysis*, (Tech. Note), March JPT.
HEDLUND, CHARLES J.: *Iran and World Oil*, (Art.), Oct. JPT.
HENAGAN, JAMES M., et al.: *Report on the Mamou Field Pressure Maintenance Project*, 263
HENSLEY, HAROLD L.: *Today's Natural Gas Industry*, (Art.), Aug. JPT.
HILTZ, R. G., et al.: *Results of Gas Injection in the Cedar Lake Field*, 357
HOLMGREN, C. R., et al.: *Effect of Free Gas Saturation on Oil Recovery by Water Flooding*, 135
HORNER, WILLIAM L.: *A Petroleum Engineering Progress Report on the Scurry Field*, (Art.), April JPT.
HOUGH, E. W., et al.: *Interfacial Tensions at Reservoir Pressures and Temperatures; Apparatus and the Water-Methane System*, 57
HOWARD, GEORGE C., et al.: *An Analysis and the Control of Lost Circulation*, 171
HOWARD, K. C.: *The Development and Operation of LPG Storage Cavities in Salt Strata*, (Art.), March JPT.
HUZAREVICH, J. E., et al.: *Results of Gas Injection in the Cedar Lake Field*, 357
Hydrafrac: Operations in the Spraberry, (Art.), Nov. JPT.

## I

Interstitial water: Determination by an evaporation method, 269.
Use of centrifuge for determining connate water, residual oil and capillary pressure curves of small core samples, 127.
Interpretation of chemical water analysis by means of patterns (Tech. Note), Oct. JPT.

## J

JACKSON, GORDON: *Penetration Rates for Directional Drilling Operations*, (Art.), June JPT.
JOHNSON, CHARLES B., JR.: *Underwater Storage of Propane in Salt Water Sand*, (Art.), Jan. JPT.

## K

KAVELER, H. H., et al.: *The Shuler Jones Sand Pool; Nine Years of Unitized Pressure-Maintenance Operations*, 121
KERVER, J. K., et al.: *Laboratory Measurements of Relative Permeability*, 47

## L

LAIRD, A. D. K., et al.: *Fluid Saturation in Porous Media by X-ray Technique*, 275
Laterolog: Logging method using automatic focusing system, 305.
LEAS, W. J., et al.: *Relative Permeability to Liquid in Liquid-Gas Systems*, 83

LeBlanc, J. L.: *Offshore Production and Completion Practices in the Bay Marchand and Main Pass Fields*, (Art.), July JPT.
Leibrock, R. M., et al.: *Results of Gas Injection in the Cedar Lake Field*, 357
Lilienthal, W. B., et al.: *Plastic Flow Properties of Drilling Fluids — Measurement and Application*, 159
Lipson, Leonard B.: *Theoretical Note on Linear Absorption Methods of Determination of Fluid Saturation in Porous Media*, (Tech. Note), Aug. JPT.
LPG: Development and operation of LPG storage cavities in salt strata, (Art.), March JPT.

## M

Manpower: An engineering manpower study, (Art.), May JPT.
Mardock, E. S., et al.: *The Quantitative Application of Radioactivity Logs*, 191
McCreery, P. N., et al.: *Porosity-Measurement Comparisons by Five Laboratories*, 341
McDonald, L. L., et al.: *Drilling and Production Problems Relating to the Worland, Wyoming, Field*, (Art.), May JPT.
McKetta, J. J., Jr., et al.: *Phase Equilibria in Hydrocarbon-Water Systems. III — The Solubility of Methane in Water at Pressures to 10,000 PSIA*, 223.
McKetta, J. J., Jr., et al.: *Phase Equilibria in Hydrocarbon-Water Systems. IV — Vapor Liquid Equilibrium Constants in the Methane-Water and Ethane-Water Systems*, 297
Melrose, J. C., et al.: *Plastic Flow Properties of Drilling Fluids — Measurement and Application*, 159
Merrill, W. C., et al.: *Mineralogical Studies of California Oilbearing Formations. I — Identification of Clays*, 151
Messer, E. S.: *Interstitial Water Determination by an Evaporation Method*, 269
Miller, Frank G.: *Steady Flow of Two-Phase Single-Component Fluids Through Porous Media*, 205
Morgan, B. E., et al.: *A Modified Low-Strength Cement*, 165
Morgan, F., et al.: *A New Technique for the Measurement of the Formation Factors and Resistivity Indices of Porous Media*, (Tech. Note), Feb. JPT.
Morris, J. I., et al.: *Drilling and Production Problems Relating to the Worland, Wyoming, Field*, (Art.), May JPT.
Morse, R. A., et al.: *Effect of Free Gas Saturation on Oil Recovery by Water Flooding*, 135
Morse, R. A., et al.: *An Experimental and Theoretical Investigation of Gravity Drainage Performance*, 285
Morse, R. A., et al.: *Experimental Investigation of Factors Affecting Laboratory Relative Permeability Measurements*, 99
Muskat, Morris: *The Effect of Withdrawal Rate on the Uniformity of Edgewater Intrusion*, 327

## N

Nahin, P. G., et al.: *Mineralogical Studies of California Oilbearing Formations. I — Identification of Clays*, 151

## O

Ockershauser, T. E.: *The Southwest Antioch Gibson Sand Unit*, 199
Offshore operations: Production and completion practices in the Bay Marchand and Main Pass Fields, (Art.), July, JPT.
Olds, R. H., et al.: *Transient Flow in Gas Transmission Lines*, 217
Osoba, J. S., et al.: *Laboratory Measurements of Relative Permeability*, 47
Owen, John E., et al.: *The Guard Electrode Logging System*, 347
Owens, W. W., et al.: *Experimental Investigation of Factors Affecting Laboratory Relative Permeability Measurements*, 99

## P

Parrish, D. R., et al.: *Experimental Investigation of Factors Affecting Laboratory Relative Permeability Measurements*, 99
Parsons, R. L., et al.: *Relaxation Methods Applied to Oil Field Research*, 227
Phase equilibria: In hydrocarbon-water systems (solubility of methane in water at pressures to 10,000 psia), 223.
In hydrocarbon-water systems (vapor liquid equilibrium constants in the methane-water and ethane-water systems), 297.
Phase behavior of natural hydrocarbon system, 233.
Interrelationship between wetting and non-wetting phase relative permeability, (Tech. Note), Oct. JPT.
Pipe: Calculation of pressure drop in flow of natural gas through pipe, 317
Transient flow in gas transmission lines, 217.
Poettmann, Fred H.: *The Calculation of Pressure Drop in the Flow of Natural Gas Through Pipe*, 317
Poettmann, Fred H.: *Vaporization Characteristics of Carbon Dioxide in a Natural Gas-Crude Oil System*, 141
Politziner, Irwin, et al.: *Measuring the Water Vapor Content of Gases Dehydrated by Triethylene Glycol*, 301
Pores: Absorption methods of determination of fluid saturation in porous media, (Tech. Note), Aug. JPT.
Steady flow of two-phase single-component fluids through porous media, 205
Fluid saturation in porous media, 275.
Measurement of formation factors and resistivity indices of porous media, (Tech. Note), Feb. JPT.
Porosity measurement comparisons, 341.
Prehn, W. L., Jr., et al.: *Use of Centrifuge for Determining Connate Water, Residual Oil, and Capillary Pressure Curves of Small Core Samples*, 127
Pressure: Capillary pressure investigations, 67.
Pressure maintenance in the Mamou Field, 263.
Phase equilibria, 223.
Calculations of pressure drop in flow of gas through pipe, 317.
Surface indicating pressure equipment, 257.
Pressure behavior in the Woodbine sand, 19.
Use of centrifuge for determination of connate water, residual oil and capillary pressure curves of core samples, 127.
Pressure maintenance in Shuler Jones sand pool, 121
Interfacial tensions at reservoir pressures and temperatures, 57.
Putnam, John A.: *Education for Research in Petroleum Engineering*, (Art.), Aug. JPT.
Putnam, John A., et al.: *Fluid Saturation in Porous Media by X-ray Technique*, 275

## R

Rapoport, L. A., et al.: *Relative Permeability to Liquid in Liquid-Gas Systems*, 83
Records, Louis R., et al.: *Low Temperature Dehydration of Natural Gas*, 61
Reid, L. S., et al.: *Measuring the Water Vapor Content of Gases Dehydrated by Triethylene Glycol*, 301

Relative permeability: Studies, 249
Factors affecting laboratory relative permeability measurements, 99.
To liquid in liquid-gas system, 83
Laboratory measurements, 47.
Further developments in laboratory determination of relative permeability, 145.
Interrelationship between wetting and non-wetting phase relative permeability, (Tech. Note), Oct. JPT.
Research: Relaxation methods applied to oil field research, 227.
Education for research, (Art.), Aug. JPT.
Utilization of research in production of oil, (Art.), Nov. JPT.
RICHARDSON, J. G., et al.: *Laboratory Measurements of Relative Permeability*, 47
RIORDAN, M. B.: *Surface Indicating Pressure, Temperature and Flow Equipment*, 257
ROSE, WALTER: *Fluid Distributions Characterizing Gas—Liquid Flow*, (Tech. Note), Feb. JPT.
RUMBLE, R. C., et al.: *A Reservoir Analyzer Study of the Woodbine Basin*, 331
RZASA, M. J., et al.: *Interfacial Tensions at Reservoir Pressures and Temperatures; Apparatus and the Water-Methane System*, 57

## S

SAGE, B. H., et al.: *Transient Flow in Gas Transmission Lines*, 217
SCOTT, F. L., JR.: *Advancement in Design and Technique of Rotary Fishing Tools*, (Art.), June JPT.
SCOTT, P. P., JR., et al.: *An Analysis and the Control of Lost Circulation*, 171
SEELY, DWIGHT H., JR., et al.: *Low Temperature Dehydration of Natural Gas*, 61
SP curve: Investigation of the electro-kinetic component of the self potential curve, 1
SHEPHERD, J. M., et al.: *Pressure Behavior in the Woodbine Sand*, 19
SHERBORNE, JOHN E.: *Utilization of Research in Production of Oil*, (Art.), Nov. JPT.
SLOBOD, R. L., et al.: *Further Developments in the Laboratory Determination of Relative Permeability*, 145
SLOBOD, R. L., et al.: *Porosity-Measurement Comparisons by Five Laboratories*, 341
SLOBOD, R. L., et al.: *Use of Centrifuge for Determining Connate Water, Residual Oil, and Capillary Pressure Curves of Small Core Samples*, 127
SPAIN, H. H., et al.: *A Reservoir Analyzer Study of the Woodbine Basin*, 331
SPENCER, G. B., et al.: *Special Considerations in Predicting Reservoir Performance of Highly Volatile Type Oil Reservoirs*, 37
SPENCER, JOHN R.: *A High Temperature Gauge Glass for the Visual Observation of Critical Phenomena*, (Tech. Note), Aug. JPT.
SPURLOCK, JAMES W., et al.: *Porosity-Measurement Comparisons by Five Laboratories*, 341
STAMM, H. E., III, et al.: *A Reservoir Analyzer Study of the Woodbine Basin*, 331
STIFF, HENRY A., JR.: *The Interpretation of Chemical Water Analysis by Means of Patterns*, (Tech. Note), Oct. JPT.

## T

TARNER, JACK, et al.: *The Shuler Jones Sand Pool; Nine Years of Unitized Pressure-Maintenance Operations*, 121
TERWILLIGER, P. L., et al.: *An Experimental and Theoretical Investigation of Gravity Drainage Performance*, 285
TOWNSEND, F. M., et al.: *Measuring the Water Vapor Content of Gases Dehydrated by Triethylene Glycol*, 301

## W

Water flood: In the Pettit Lime, Haynesville Field, 239.
Benton water flood, Franklin County, Illinois, (Art.), Sept. JPT.
Effect of free gas saturation on oil recovery by water flooding, 135.
Water resistivities: From chemical analysis, (Tech. Note), March JPT.
New technique for measurement of formation factors and resistivity indices of porous media, (Tech. Note), Feb. JPT.
WEINAUG, CHARLES F., et al.: *The Phase Behavior of a Natural Hydrocarbon System*, 233
WEST, THOMAS S.: *A Gravel Pack Completion for Exclusion of Gas and Water*, 183
WILLIAMS, C. E., JR., et al.: *Carrying Capacity of Drilling Muds*, 111
WILLIS, ROY M., et al.: *Recent Advances in Gas Lift Equipment and Techniques*, (Art.), Feb. JPT.
WILSEY, L. E., et al.: *An Experimental and Theoretical Investigation of Gravity Drainage Performance*, 285
WOOD, B. B., et al.: *Interfacial Tensions at Reservoir Pressures and Temperatures; Apparatus and the Water-Methane System*, 57
WYLLIE, M. R. J.: *An Investigation of the Electrokinetic Component of the Self Potential Curve*, 1
WYLLIE, M. R. J., et al.: *A New Technique for the Measurement of the Formation Factors and Resistivity Indices of Porous Media*, (Tech. Note), Feb. JPT.
WYLLIE, M. R. J.: *A Note on the Interrelationship Between Wetting and Non-Wetting Phase Relative Permeability*, (Tech. Note), Oct. JPT.

★ ★ ★